




















JADE®

Product Summary

		VISCOSITY	APPROVALS	SPECIFICATION	PERFORMANCE LEVELS	AVAILABLE
Oscar Jade Zero 0W8	91241 	0W-8	/	JASO GLV-1	/	1L - 4L - 5L 60L - 208L
Oscar Jade Zero 0W12	91242 	0W-12	/	JASO GLV-1	/	1L - 4L - 5L 60L - 208L
Oscar Jade Zero 0W16	91243 	0W-16	API SP, Resource Conserving, SN PLUS	API SP, ILSAC GF-6B	GM dexos1™ Gen 2	1L - 4L - 5L 60L - 208L
Oscar Jade Pro 0W20	91225 	0W-20	API SP, SN PLUS, MB-Approval 229.71	ACEA C5, API SP	BMW LL17FE+; MB 229.71; VW 08.00/509.00; Porsche C20; RN17FE; Volvo VCC FBS0-2AE 0W-20; Opel Vauxhall GV 040 1547; Ford WSS-M2C947-B1; Ford SS-M2C962-A1; Jaguar TULR.03.5006-16; Jaguar STJLR.5.1.5122; Land Rover STJLR.5.1.5122; Fiat 55535-GSX; Chrysler MS-12145	1L - 4L - 5L 60L - 208L
Oscar Jade Gold Plus 0W20	91211 	0W-20	API SP, Resource Conserving, SN PLUS	API SP, ILSAC GF-6A	Ford WSS-M2C947-A; Ford WSS-M2C947-B1; FORD WSS-M2C962-A1; GM 6094M; GM dexos1™ Gen 2	1L - 4L - 5L 60L - 208L
Oscar Jade Optimum 0W30	91233 	0W-30	API SP, SN PLUS	ACEA C2 C3, API SP	MB 229.31/229.51/229.52; BMW LL04; dexos 2; Renault RN0700; Renault RN0710; VW 504.00/507.00; Porsche C30; PSA B71 2390-2014; PSA B71 2312-2017; Fiat 9.55535-DS1; Fiat 9.55535-GS1	1L - 4L - 5L 60L - 208L
Oscar Jade Gold Plus 0W40	91215 	0W-40	API SP, SN PLUS	API SP, SN PLUS, ACEA A3/B4	MB 229.3/229.5; BMW LL01; Porsche A40; VW 502.00/505.00; PSA B71 2296; Renault RN0700; Renault RN0710	1L - 4L - 5L 60L - 208L
Oscar Jade Gold Plus 5W20	91212 	5W-20	API SP, Resource Conserving, SN PLUS	API SP, ILSAC GF-6A	Ford WSS-M2C947-A; Ford WSS-M2C947-B1; FORD WSS-M2C962-A1; GM 6094M; GM dexos1™ Gen 2	1L - 4L - 5L 60L - 208L
Oscar Jade Gold Plus 5W30	91213 	5W-30	API SP, Resource Conserving, SN PLUS	API SP, ILSAC GF-6A	GM dexos1™ Gen 2	1L - 4L - 5L 60L - 208L
Oscar Jade Gold OEM Specific F 5W30	91216 	5W-30	API SN	ACEA A5/B5, API SN	FORD WSS-M2C913-D; FORD WSS-M2C913-C; FORD WSS-M2C913-B; FORD WSS-M2C913-A; VOLVO VCC 95200377; MB 229.6; FIAT 9.55535-G1; JAGUAR STJLR.03.5003; LAND ROVER TULR.03.5003	1L - 4L - 5L 60L - 208L

		VISCOSITY	APPROVALS	SPECIFICATION	PERFORMANCE LEVELS	AVAILABLE	
Oscar Jade Pro 5W30	91226		5W-30	/	ACEA C4, API SN	Renault RN0720, MB 229.31, 229.51, 226.51, Fiat 9.55535-S4	1L - 4L - 5L 60L - 208L
Oscar Jade Optimum 5W30	91231		5W-30	API SP, SN PLUS, MB-Approval 229.51, VW 504.00/507.00	ACEA C2 C3, API SP	MB 229.31/229.51/229.52 ; BMW LL04; dexos 2; Renault RN0700; Renault RN0710; RN17; Porsche C30; Fiat 9.55535-S3; Ford WSS-M2C917-A; PSA B71 2290; PSA B71 2297;	1L - 4L - 5L 60L - 208L
Oscar Jade Gold Plus 5W40	91214		5W-40	API SN, MB-Approval 229.3, VW 502.00/505.00	API SP, SN PLUS, ACEA A3/B4	MB 229.3/229.5; BMW LL01; Porsche A40; PSA B71 2296; Renault RN0700; Renault RN0710	1L - 4L - 5L 60L - 208L
Oscar Jade Optimum 5W40	91232		5W-40	API SP, SN PLUS, MB-Approval 229.51	ACEA C3, API SP	MB 229.31/229.51; BMW LL04; dexos 2; Porsche A40; Renault RN0700; Renault RN0710; VW 502.00/505.00, 505.1; Fiat 9.55535-S2; Ford WSS-M2C917-A; PSA B71 2296	1L - 4L - 5L 60L - 208L
Oscar Jade Pur 10W30	91201		10W-30	/	API SN	ACEA A1/B1	1L - 4L - 5L 60L - 208L
Oscar Jade Pur 10W40	91202		10W-40	/	API SN	ACEA A3/B4	1L - 4L - 5L 60L - 208L
Oscar Jade Cobalt 10W30	91191		10W-30	API SL	API SL	ACEA A1/B1	1L - 4L - 5L 60L - 208L
Oscar Jade Cobalt 10W40	91192		10W-40	API SL	API SL	ACEA A3/B4	1L - 4L - 5L 60L - 208L
Oscar Jade Cobalt 15W40	91193		15W-40	API SL	API SL	ACEA A1/B1	1L - 4L - 5L 60L - 208L
Oscar Jade Cobalt 20W50	91194		20W-50	API SL	API SL	ACEA A1/B1	1L - 4L - 5L 60L - 208L

Oscar Lubricants L.L.C.

Head Office Address

Burj Khalifa District
Business Bay Square
BB11 - 302 Dubai
United Arab Emirates
Tel +971 4 261 2277

Plant Address

New Industrial Area 1
Street 85, Building 15
P.O. Box 7546, Ajman
United Arab Emirates
Tel +971 6 7433354
Fax +971 6 7435449
info@oscarlubricants.com
www.oscarlubricants.com